



CONTACT US



Tel

+8619005163037



Web

www.shangshuoladder.com



E-mail

info@shangshuoladder.com



Add


No. 116, Industrial Concentration Zone, Hegou Town,Xuzhou City, Jiangsu Province, China

SHANGSHUO LADDER PRODUCT MANUAL



COMPANY PROFILE

Founded in 2008, ShangShuo Ladder is a professional manufacturer dedicated to designing and producing aluminum and stainless steel telescopic and folding ladders. With a 15,000m² facility, we provide reliable, integrated ladder solutions for global partners. Our products have been exported to the United States, the Middle East, Southeast Asia, Africa, and over 150 countries and regions worldwide. Committed to quality, innovation, and long-term trust, we aim to become a benchmark creator in the global ladder industry, delivering safety, value, and professional excellence to every user.



HONORS & QUALIFICATIONS



Stainless Steel Telescopic Single Ladder-300

OEM / ODM accepted

- ✓ Collapsible — Compact for Storage & Travel
- ✓ Auto-Lock — Click & Lock
- ✓ Heavy-Duty Capacity



Product Name	Stainless Steel Telescopic Single Ladder						
Item No	SS-ST59	SS-ST10	SS-ST11	SS-ST12	SS-ST13	SS-ST14	SS-ST15
Meter/m	2.6	2.9	3.2	3.5	3.8	4.1	4.4
Steps	9	10	11	12	13	14	15
Tube Diameter/mm	29-50	29-53	29-56	29-59	29-62	29-65	29-68
Step Distance/cm	30	30	30	30	30	30	30
Opened Length/m	2.6	2.9	3.2	3.5	3.8	4.1	4.4
Closed Length/m	0.73	0.76	0.79	0.82	0.85	0.88	0.91
Top Width/cm	44	44	44	44	44	44	44
Bottom Width/cm	46	46	47	47	47	47	48
Net Weight/kg	7.14	8.12	9.12	10.16	11.24	12.32	13.48
Gross Weight/kg	7.75	8.80	9.80	10.90	12.00	13.15	14.30
Package Size/cm	47*6*75	47*6*78	47*6*82	47*7*85	47*7*88	48*7*91	48*8*94

Stainless Steel Telescopic Single Ladder-400

OEM / ODM accepted

- ✓ Collapsible — Compact for Storage & Travel
- ✓ Auto-Lock — Click & Lock
- ✓ Heavy-Duty Capacity



Product Name	Stainless Steel Telescopic Single Ladder							
Item No	SS-ST8	SS-ST9	SS-ST10	SS-ST11	SS-ST12	SS-ST13	SS-ST14	SS-ST15
Meter/m	3.1	3.5	3.9	4.3	4.7	5.1	5.5	5.9
Steps	8	9	10	11	12	13	14	15
Tube Diameter/mm	29-47	29-50	29-53	29-56	29-59	29-62	29-65	29-68
Step Distance/cm	40	40	40	40	40	40	40	40
Opened Length/m	3.1	3.5	3.9	4.3	4.7	5.1	5.5	5.9
Closed Length/m	0.85	0.88	0.91	0.94	0.97	1.00	1.03	1.06
Top Width/cm	44	44	44	44	44	44	44	44
Bottom Width/cm	46	46	46	47	47	47	47	48
Net Weight/kg	7.00	8.13	9.10	10.26	11.65	13.50	15.00	16.30
Gross Weight/kg	7.70	8.90	9.95	11.18	12.50	14.45	15.70	17.20
Package Size/cm	46*6*88	47*6*90	47*6*94	47*6*97	47*6*100	47*7*103	47*7*106	48*8*109

Stainless Steel Telescopic Double Ladder-300

OEM / ODM accepted

- ✓ Articulating + Telescopic — Dual Function
- ✓ Slip-Resistant — Safe & Stable
- ✓ Auto-Lock — Click & Lock




Non Slip Foot/
Mobility Wheels



Stainless Steel Ladder



Triangular Diagonal
Bracing



Strap

Product Name	Stainless Steel Telescopic Double Ladder				
Item No	SS-STD5	SS-STD6	SS-STD7	SS-STD8	SS-STD9
Meter/m	1.6+1.6	1.9+1.9	2.2+2.2	2.5+2.5	2.8+2.8
Steps	5*2	6*2	7*2	8*2	9*2
Tube Diameter/mm	47-56	47-59	47-62	47-65	47-68
Step Distance/cm	30	30	30	30	30
Opened Length/m	3.12	3.72	4.32	4.92	5.52
Closed Length/m	0.8	0.83	0.86	0.89	0.92
Top Width/cm	44	44	44	44	44
Bottom Width/cm	47	47	47	47	48
Net Weight/kg	12.70	14.75	16.85	19.10	21.40
Gross Weight/kg	13.70	15.75	17.86	20.10	22.40
Package Size/cm	47*14*82	47*14*85	47*14*88	48*15*91	48*15*94

Stainless Steel Telescopic Double Ladder-400

OEM / ODM accepted

- ✓ Articulating + Telescopic — Dual Function
- ✓ Slip-Resistant — Safe & Stable
- ✓ Auto-Lock — Click & Lock



Non Slip Foot/
Mobility Wheels



Stainless Steel Ladder



Triangular Diagonal
Bracing



Strap

Product Name	Stainless Steel Telescopic Double Ladder					
Item No	SS-STD4	SS-STD5	SS-STD6	SS-STD7	SS-STD8	SS-STD9
Meter/m	1.7+1.7	2.1+2.1	2.5+2.5	2.9+2.9	3.3+3.3	3.7+3.7
Steps	4*2	5*2	6*2	7*2	8*2	9*2
Tube Diameter/mm	47-53	47-56	47-59	47-62	47-65	47-68
Step Distance/cm	40	40	40	40	40	40
Opened Length/m	3.25	4.05	4.85	5.65	6.45	7.25
Closed Length/m	0.91	0.94	0.97	1.00	1.03	1.06
Top Width/cm	44	44	44	44	44	44
Bottom Width/cm	46	47	47	47	47	48
Net Weight/kg	10.92	14.12	16.35	19.40	22.62	24.85
Gross Weight/kg	11.86	14.78	17.38	20.34	23.66	26.30
Package Size/cm	47*13*94	47*13*97	47*14*100	47*14*103	47*15*106	47*15*109

Aluminum Telescopic Single Ladder-300

OEM / ODM accepted

- ✓ Lightweight Aluminum — Easy to Carry
- ✓ Corrosion-Resistant — Built to Last
- ✓ Slip-Resistant — Safe & Stable



Product Name	Aluminum Telescopic Single Ladder							
Item No	SS-ATS8	SS-ATS9	SS-ATS10	SS-ATS11	SS-ATS12	SS-ATS13	SS-ATS14	SS-ATS15
Size/m	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.4
Steps	8	9	10	11	12	13	14	15
Step Distance/cm	30	30	30	30	30	30	30	30
Opened Length/m	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.4
Closed Length/m	0.71	0.74	0.77	0.8	0.83	0.86	0.88	0.91
Top Width/cm	44	44	44	44	44	44	44	44
Bottom width/cm	45	45	46	46	46	47	47	47
Net Weight/kg	5.40	6.15	6.90	7.80	8.65	9.65	10.50	11.40
Gross Weight/kg	6.20	7.05	7.85	8.75	9.65	10.70	11.60	12.50
Package Size/cm	76*48*7	78*48*7	83*48*8	85*48*8	89*49*9	91*49*9	95*49*10	97*49*11

Aluminum Telescopic Single Ladder-400

OEM / ODM accepted

- ✓ Lightweight Aluminum — Easy to Carry
- ✓ Corrosion-Resistant — Built to Last
- ✓ Slip-Resistant — Safe & Stable



Product Name	Aluminum Telescopic Single Ladder								
Item No	SS-ATS7	SS-ATS8	SS-ATS9	SS-ATS10	SS-ATS11	SS-ATS12	SS-ATS13	SS-ATS14	SS-ATS15
Size/m	2.7	3.1	3.5	3.9	4.3	4.7	5.0	5.4	5.8
Steps	7	8	9	10	11	12	13	14	15
Step Distance/cm	40	40	40	40	40	40	40	40	40
Opened Length/m	2.7	3.1	3.5	3.9	4.3	4.7	5.0	5.4	5.8
Closed Length/m	0.83	0.86	0.89	0.91	0.95	0.98	1.01	1.04	1.07
Top Width/cm	44	44	44	44	44	44	44	44	44
Bottom width/cm	45	45	45	46	46	46	47	47	47
Net Weight/kg	5.20	6.05	6.95	7.90	8.85	9.80	10.95	12.05	13.10
Gross Weight/kg	5.86	6.75	7.67	8.64	9.61	10.58	11.75	12.87	13.94
Package Size/cm	88*48*7	91*48*7	94*49*9	97*49*8	100*49*9	103*49*9	106*50*10	109*50*10	112*50*10

Aluminum Telescopic Double Ladder-300

OEM / ODM accepted

- ✓ Articulating + Telescopic — Dual Function
- ✓ Lightweight Aluminum Portable and durable
- ✓ ideal for jobs on the go



Product Name	Aluminum Telescopic Double Ladder			
Item No	SS-ATD5	SS-ATD6	SS-ATD7	SS-ATD8
Size/m	1.6+1.6	1.9+1.9	2.2+2.2	2.5+2.5
Steps	5*2	6*2	7*2	8*2
Step Distance/cm	30	30	30	30
Opened Length/m	3.15	3.75	4.35	4.95
Closed Length/m	0.82	0.85	0.88	0.91
Top Width/cm	43	43	43	43
Bottom width/cm	46	46	47	47
Net Weight/kg	11.20	12.80	14.60	16.60
Gross Weight/kg	12.15	13.95	15.95	18.10
Package Size/cm	88*48*16	90*48*16	93*48*17	96*48*17

Aluminum Telescopic Double Ladder-400

OEM / ODM accepted

- ✓ Articulating + Telescopic — Dual Function
- ✓ Lightweight Aluminum Portable and durable
- ✓ ideal for jobs on the go



Product Name	Aluminum Telescopic Double Ladder			
Item No	SS-ATD4	SS-ATD5	SS-ATD6	SS-ATD7
Size/m	1.7+1.7	2.1+2.1	2.5+2.5	2.9+2.9
Steps	4*2	5*2	6*2	7*2
Step Distance/cm	40	40	40	40
Opened Length/m	3.21	4.00	4.79	5.57
Closed Length/m	0.92	0.97	1.00	1.05
Top Width/cm	43	43	43	43
Bottom width/cm	44	45	45	45
Net Weight/kg	11.20	12.55	14.35	16.30
Gross Weight/kg	12.10	13.60	15.40	17.35
Package Size/cm	94*47*15	97*47*16	100*47*16	1060*48*16

Aluminum Multi Purpose Ladder

OEM / ODM accepted

- ✓ Telescopic Adjustment & Auto-Lock
- ✓ 4 Independently Adjustable Legs
- ✓ Works on Uneven Ground



Non Slip Foot



Aluminum Ladder



Adjust in 6mm increments



Reinforced Joint Head

Product Name	Aluminum Multi Purpose Ladder				
Item No	SS-AML3	SS-AML4	SS-AML5	SS-AML6	SS-AML7
Size/m	1.04	1.33	1.63	1.92	2.27
Steps	3	4	5	6	7
Vertical Height/m	0.71~1.04	1.02~1.33	1.32~1.63	1.61~1.92	1.94~2.27
Step Distance/cm	28	28	28	28	28
Opened Length/m	1.5~2.2	2.1~2.8	2.7~3.4	3.4~4.0	4.0~4.6
Closed Length/m	0.70	1.02	1.32	1.61	1.94
Top Width/cm	38	38	38	38	38
Bottom Width/cm	71	71	71	71	71
Net Weight/kg	5.90	6.90	8.10	9.20	10.50
Gross Weight/kg	6.80	8.65	9.75	11.25	13.30
Package Size/cm	79*44*19	110*48*19	141*54*19	183*64*20	202*64*20

Aluminum Multi Purpose Ladder

OEM / ODM accepted

- ✓ A-Frame / Extension / Staircase / Scaffold
- ✓ Tip & Glide Wheels — Easy Transport
- ✓ Works on Uneven Ground



Non Slip Foot/
Mobility Wheels



Aluminum Ladder



Heavy-duty Joint Pin Lock



Reinforced Joint Head

Product Name	Aluminum Multi Purpose Ladder				
Item No	SS-ALG3	SS-ALG4	SS-ALG5	SS-ALG6	SS-ALG7
Size/m	1.3+1.3	1.9+1.9	2.5+2.5	3.0+3.0	3.5+3.5
Steps	3	4	5	6	7
Vertical Height/m	1.34	1.95	2.50	3.02	3.53
Step Distance/cm	28	28	28	28	28
Opened Length/m	2.91	4.02	5.14	6.24	7.36
Closed Length/m	0.96	1.22	1.52	1.79	2.07
Top Width/cm	48	48	48	48	48
Bottom Width/cm	57	57	57	57	57
Net Weight/kg	8.55	9.95	11.55	13.10	14.65
Gross Weight/kg	10.25	12.05	14.05	16.00	18.10
Package Size/cm	97*21*58	125*21*58	153*21*58	180*21*58	208*21*58

Aluminum Green Multi Purpose Ladder

OEM / ODM accepted

- ✓ A-Frame / Extension / Staircase / Scaffold
- ✓ Tip & Glide Wheels — Easy Transport
- ✓ Works on Uneven Ground



Non Slip Foot/
Mobility Wheels



Powder Coating



Heavy-duty Joint Pin Lock



Aluminum Push-
Button Lock

Product Name	Aluminum Green Multi Purpose Ladder				
Item No	SS-ALG3	SS-ALG4	SS-ALG5	SS-ALG6	SS-ALG7
Size/m	1.3+1.3	1.9+1.9	2.5+2.5	3.0+3.0	3.5+3.5
Steps	3	4	5	6	7
Vertical Height/m	1.34	1.95	2.50	3.02	3.53
Step Distance/cm	28	28	28	28	28
Opened Length/m	2.91	4.02	5.14	6.24	7.36
Closed Length/m	0.96	1.22	1.52	1.79	2.07
Top Width/cm	48	48	48	48	48
Bottom Width/cm	57	57	57	57	57
Net Weight/kg	8.6	10.6	12.4	14.4	16.3
Gross Weight/kg	10.3	12.7	14.9	17.3	19.75
Package Size/cm	97*21*58	125*21*58	153*21*58	180*21*58	208*21*58

Aluminum Black Multi Purpose Ladder

OEM / ODM accepted

- ✓ A-Frame / Extension / Staircase / Scaffold
- ✓ Tip & Glide Wheels — Easy Transport
- ✓ Works on Uneven Ground



Non Slip Foot



Powder Coating



Heavy-duty Joint Pin Lock



Reinforced Joint Head

Product Name	Aluminum Black Multi Purpose Ladder				
Item No	SS-ALG3	SS-ALG4	SS-ALG5	SS-ALG6	SS-ALG7
Size/m	1.3+1.3	1.9+1.9	2.5+2.5	3.0+3.0	3.5+3.5
Steps	3	4	5	6	7
Vertical Height/m	1.34	1.95	2.50	3.02	3.53
Step Distance/cm	28	28	28	28	28
Opened Length/m	2.91	4.02	5.14	6.24	7.36
Closed Length/m	0.96	1.22	1.52	1.79	2.07
Top Width/cm	48	48	48	48	48
Bottom Width/cm	57	57	57	57	57
Net Weight/kg	9.05	10.85	12.6	14.4	16
Gross Weight/kg	10.75	12.95	15.1	17.3	19.45
Package Size/cm	97*21*58	125*21*58	153*21*58	180*21*58	208*21*58

Aluminum Household Ladder

OEM / ODM accepted

- ✓ Comfortable Hand rail — Added Safety & Support
- ✓ Folding Design — Compact Storage
- ✓ Wide Anti-Slip Step



Non Slip Foot



Aluminum Ladder



Integrated Bent Tube



Oversized Top Step

Product Name	Aluminum Household Ladder						
Item No	SS-AHL3	SS-AHL4	SS-AHL5	SS-AHL6	SS-AHL7	SS-AHL8	SS-AHL9
Size/m	2.4	2.8	3.2	3.7	4.1	4.5	5.0
Steps	3	4	5	6	7	8	9
Vertical Height/m	0.64	0.78	0.93	1.07	1.20	1.35	1.50
Unfolded height/m	1.08	1.28	1.48	1.66	1.86	2.05	2.25
Closed Length/m	1.16	1.37	1.58	1.80	2.00	2.20	2.41
Bottom width/cm	39	41	43.5	47	49.5	51.5	54
Net Weight/kg	2.20	2.65	3.00	3.40	3.85	4.25	4.65
Gross Weight/kg	2.3	2.75	3.1	3.5	4	4.4	4.6
Package Size/kg	116*11.5* (39+35)	137*11.5* (41+35)	158*11.5* (43.5+35)	179.5*11.5* (47+35)	199.5*11.5* (51.5+35)	220.5*11.5* (51.5+35)	241*11.5* (54+35)

Multi Purpose A Frame Ladder

OEM / ODM accepted

- ✓ Classic Design — Built to Last
- ✓ Push Button — Easy Open
- ✓ Lightweight & Strong



Non Slip Foot



Widened Anti-Slip Steps



Inside-Outside
Crimped Fixation



Push-Button Reinforced
Carbon Steel Joint

Product Name	Multi Purpose A Frame Ladder							
Item No	SS-MFL3	SS-MFL4	SS-MFL5	SS-MFL6	SS-MFL7	SS-MFL8	SS-MFL9	SS-MFL10
Size/m	1.93	2.53	3.13	3.73	4.33	4.93	5.53	6.13
Steps	3	4	5	6	7	8	9	10
Vertical Height/m	0.96	1.25	1.53	1.82	2.10	2.38	2.68	2.95
Step Distance/cm	30	30	30	30	30	30	30	30
Opened Length/m	1.93	2.53	3.13	3.73	4.33	4.93	5.53	6.13
Closed Length/m	1.01	1.31	1.61	1.91	2.21	2.51	2.81	3.11
Top Width/cm	45	45	45	45	45	45	45	45
Bottom Width/cm	62	62	62	62	62	62	62	62
Net Weight/kg	5.40	6.45	7.50	8.60	9.80	10.95	15.75	17.25
Gross Weight/kg	6.55	7.65	8.80	10.05	11.30	12.55	17.30	18.95
Package Size/cm	103*64*16	133*64*16	163*64*16	194*64*16	223*64*16	253*64*16	281*64*16	312*64*16



SS LADDER

SCISSORS SERIES



Exquisite Craftsmanship
The Professional's Choice.

Jiangsu Shangshuo Rail Equipment Co., Ltd.



Garden Shears

OEM / ODM accepted

- ✓ Sharp & Durable
- ✓ Comfort Grip
- ✓ High Corrosion Resistance



High-grade steel



Effortless cutting design



Durable handle, comfortable to hold

Product Name Garden Shears			
Item No	Garden Shears		Garden Shears107
Size	8	10	/
PCS/CTN	60	60	60
Gross Weight/kg	19	27	22
Net Weight /kg	18	26	21
Package Size/cm	44*28*24	49*34.5*25	44*28.5*26

Tin Snips (German)

OEM / ODM accepted

- ✓ Compound Leverage Mechanism – Effortless Cutting
- ✓ High-Carbon Steel Blades – Hard & Wear-Resistant
- ✓ German-Style Design – Precision Forged



High-grade steel



Effortless cutting design



Durable handle, comfortable to hold

Product Name	Tin Snips (German)				
Size	8	10	10	12	14
PCS/CTN	60	60	48	48	Bulk
Gross Weight/kg	17	30	24	30	19
Net Weight /kg	16	29	23	29	18
Package Size/cm	44*28*24	46*35*26.5	46*35*26.5	39.5*37*26.5	Bulk

Tin Snips (US)

OEM / ODM accepted

- ✓ High-Carbon Steel Blades – Hard & Wear-Resistant
- ✓ Compound action mechanism – 50% less effort
- ✓ Non-Slip Handle – Comfortable Grip



High-grade steel



Effortless cutting design



Durable handle, comfortable to hold

Product Name	Tin Snips (US)		
Size	8	10	12
PCS/CTN	60	48	48
Gross Weight/kg	19	25	33
Net Weight /kg	18	24	32
Package Size/cm	62*29*26.5	50*33*26.5	45*39*37

Aviation Snips (US)

OEM / ODM accepted

- ✓ High-Carbon Steel Blades – Strong & Durable
- ✓ Quick Identification of Cutting Direction
- ✓ Easy cutting through sheet metal



High-grade steel



Effortless cutting design



Durable handle, comfortable to hold

Product Name Aviation Snips (US)				
Size	PCS/CTN	Gross Weight/kg	Net Weight /kg	Package Size/cm
/	60	23	22	45*23*40.5

Aviation Snips

OEM / ODM accepted

- ✓ High-Carbon Steel Blades – Strong & Durable
- ✓ Quick Identification of Cutting Direction
- ✓ Easy cutting through sheet metal



High-grade steel



Effortless cutting design



Durable handle, comfortable to hold

Product Name Aviation Snips				
Size	PCS/CTN	Gross Weight/kg	Net Weight /kg	Package Size/cm
/	60	23	22	45*23*40.5

Cable Cutter

OEM / ODM accepted

- ✓ Compact : Up to 20mm diameter (copper/aluminum)
- ✓ Medium : Up to 32mm diameter (copper/aluminum)
- ✓ Heavy-duty : Up to 50mm diameter (copper/aluminum) and steel-reinforced cables



High-grade steel



Effortless cutting design



Durable handle, comfortable to hold

Product Name		Cable Cutter		
Size		6	8	10
PCS/CTN	120	60	60	
Gross Weight/kg	21	19	27	
Net Weight /kg	20	18	26	
Package Size/cm	41*24*35.7	44*28*24	49*34.5*25	