




CONTACT US

 **Tel**
+8619005163037

 **Web**
www.shangshuoladder.com

 **E-mail**
info@shangshuoladder.com


 **Add**
No. 116, Industrial Concentration Zone, Hegou Town, Xuzhou City, Jiangsu Province, China

SHANGSHUO LADDER PRODUCT MANUAL



COMPANY PROFILE

Founded in 2008, ShangShuo Ladder is a professional manufacturer dedicated to designing and producing aluminum and stainless steel telescopic and folding ladders. With a 15,000m² facility, we provide reliable, integrated ladder solutions for global partners. Our products have been exported to the United States, the Middle East, Southeast Asia, Africa, and over 150 countries and regions worldwide. Committed to quality, innovation, and long-term trust, we aim to become a benchmark creator in the global ladder industry, delivering safety, value, and professional excellence to every user.



HONORS & QUALIFICATIONS



Stainless Steel Telescopic Single Ladder-300

OEM / ODM accepted

- ✔ Collapsible — Compact for Storage & Travel
- ✔ Auto-Lock — Click & Lock
- ✔ Heavy-Duty Capacity



Product Name	Stainless Steel Telescopic Single Ladder						
Item No	SS-ST59	SS-ST10	SS-ST11	SS-ST12	SS-ST13	SS-ST14	SS-ST15
Meter/m	2.6	2.9	3.2	3.5	3.8	4.1	4.4
Steps	9	10	11	12	13	14	15
Tube Diameter/mm	29-50	29-53	29-56	29-59	29-62	29-65	29-68
Step Distance/cm	30	30	30	30	30	30	30
Opened Length/m	2.6	2.9	3.2	3.5	3.8	4.1	4.4
Closed Length/m	0.73	0.76	0.79	0.82	0.85	0.88	0.91
Top Width/cm	44	44	44	44	44	44	44
Bottom Width/cm	46	46	47	47	47	47	48
Net Weight/kg	7.14	8.12	9.12	10.16	11.24	12.32	13.48
Gross Weight/kg	7.75	8.80	9.80	10.90	12.00	13.15	14.30
Package Size/cm	47*6*75	47*6*78	47*6*82	47*7*85	47*7*88	48*7*91	48*8*94

Stainless Steel Telescopic Single Ladder-400

OEM / ODM accepted

- ✔ Collapsible — Compact for Storage & Travel
- ✔ Auto-Lock — Click & Lock
- ✔ Heavy-Duty Capacity




Product Name	Stainless Steel Telescopic Single Ladder							
Item No	SS-ST8	SS-ST9	SS-ST10	SS-ST11	SS-ST12	SS-ST13	SS-ST14	SS-ST15
Meter/m	3.1	3.5	3.9	4.3	4.7	5.1	5.5	5.9
Steps	8	9	10	11	12	13	14	15
Tube Diameter/mm	29-47	29-50	29-53	29-56	29-59	29-62	29-65	29-68
Step Distance/cm	40	40	40	40	40	40	40	40
Opened Length/m	3.1	3.5	3.9	4.3	4.7	5.1	5.5	5.9
Closed Length/m	0.85	0.88	0.91	0.94	0.97	1.00	1.03	1.06
Top Width/cm	44	44	44	44	44	44	44	44
Bottom Width/cm	46	46	46	47	47	47	47	48
Net Weight/kg	7.00	8.13	9.10	10.26	11.65	13.50	15.00	16.30
Gross Weight/kg	7.70	8.90	9.95	11.18	12.50	14.45	15.70	17.20
Package Size/cm	46*6*88	47*6*90	47*6*94	47*6*97	47*6*100	47*7*103	47*7*106	48*8*109

Stainless Steel Telescopic Double Ladder-300

OEM / ODM accepted

- ✓ Articulating + Telescopic — Dual Function
- ✓ Slip-Resistant — Safe & Stable
- ✓ Auto-Lock — Click & Lock




Product Name	Stainless Steel Telescopic Double Ladder				
Item No	SS-STD5	SS-STD6	SS-STD7	SS-STD8	SS-STD9
Meter/m	1.6+1.6	1.9+1.9	2.2+2.2	2.5+2.5	2.8+2.8
Steps	5*2	6*2	7*2	8*2	9*2
Tube Diameter/mm	47-56	47-59	47-62	47-65	47-68
Step Distance/cm	30	30	30	30	30
Opened Length/m	3.12	3.72	4.32	4.92	5.52
Closed Length/m	0.8	0.83	0.86	0.89	0.92
Top Width/cm	44	44	44	44	44
Bottom Width/cm	47	47	47	47	48
Net Weight/kg	12.70	14.75	16.85	19.10	21.40
Gross Weight/kg	13.70	15.75	17.86	20.10	22.40
Package Size/cm	47*14*82	47*14*85	47*14*88	48*15*91	48*15*94

Stainless Steel Telescopic Double Ladder-400

OEM / ODM accepted

- ✓ Articulating + Telescopic — Dual Function
- ✓ Slip-Resistant — Safe & Stable
- ✓ Auto-Lock — Click & Lock



Product Name	Stainless Steel Telescopic Double Ladder					
Item No	SS-STD4	SS-STD5	SS-STD6	SS-STD7	SS-STD8	SS-STD9
Meter/m	1.7+1.7	2.1+2.1	2.5+2.5	2.9+2.9	3.3+3.3	3.7+3.7
Steps	4*2	5*2	6*2	7*2	8*2	9*2
Tube Diameter/mm	47-53	47-56	47-59	47-62	47-65	47-68
Step Distance/cm	40	40	40	40	40	40
Opened Length/m	3.25	4.05	4.85	5.65	6.45	7.25
Closed Length/m	0.91	0.94	0.97	1.00	1.03	1.06
Top Width/cm	44	44	44	44	44	44
Bottom Width/cm	46	47	47	47	47	48
Net Weight/kg	10.92	14.12	16.35	19.40	22.62	24.85
Gross Weight/kg	11.86	14.78	17.38	20.34	23.66	26.30
Package Size/cm	47*13*94	47*13*97	47*14*100	47*14*103	47*15*106	47*15*109

Aluminum Telescopic Single Ladder-300

OEM / ODM accepted

- ✓ Lightweight Aluminum — Easy to Carry
- ✓ Corrosion-Resistant — Built to Last
- ✓ Slip-Resistant — Safe & Stable




Product Name	Aluminum Telescopic Single Ladder							
Item No	SS-ATS8	SS-ATS9	SS-ATS10	SS-ATS11	SS-ATS12	SS-ATS13	SS-ATS14	SS-ATS15
Size/m	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.4
Steps	8	9	10	11	12	13	14	15
Step Distance/cm	30	30	30	30	30	30	30	30
Opened Length/m	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.4
Closed Length/m	0.71	0.74	0.77	0.8	0.83	0.86	0.88	0.91
Top Width/cm	44	44	44	44	44	44	44	44
Bottom width/cm	45	45	46	46	46	47	47	47
Net Weight/kg	5.40	6.15	6.90	7.80	8.65	9.65	10.50	11.40
Gross Weight/kg	6.20	7.05	7.85	8.75	9.65	10.70	11.60	12.50
Package Size/cm	76*48*7	78*48*7	83*48*8	85*48*8	89*49*9	91*49*9	95*49*10	97*49*11

Aluminum Telescopic Single Ladder-400

OEM / ODM accepted

- ✓ Lightweight Aluminum — Easy to Carry
- ✓ Corrosion-Resistant — Built to Last
- ✓ Slip-Resistant — Safe & Stable



Product Name	Aluminum Telescopic Single Ladder									
Item No	SS-ATS7	SS-ATS8	SS-ATS9	SS-ATS10	SS-ATS11	SS-ATS12	SS-ATS13	SS-ATS14	SS-ATS15	
Size/m	2.7	3.1	3.5	3.9	4.3	4.7	5.0	5.4	5.8	
Steps	7	8	9	10	11	12	13	14	15	
Step Distance/cm	40	40	40	40	40	40	40	40	40	
Opened Length/m	2.7	3.1	3.5	3.9	4.3	4.7	5.0	5.4	5.8	
Closed Length/m	0.83	0.86	0.89	0.91	0.95	0.98	1.01	1.04	1.07	
Top Width/cm	44	44	44	44	44	44	44	44	44	
Bottom width/cm	45	45	45	46	46	46	47	47	47	
Net Weight/kg	5.20	6.05	6.95	7.90	8.85	9.80	10.95	12.05	13.10	
Gross Weight/kg	5.86	6.75	7.67	8.64	9.61	10.58	11.75	12.87	13.94	
Package Size/cm	88*48*7	91*48*7	94*49*9	97*49*8	100*49*9	103*49*9	106*50*10	109*50*10	112*50*10	

Aluminum Telescopic Double Ladder-300

OEM / ODM accepted

- ✓ Articulating + Telescopic — Dual Function
- ✓ Lightweight Aluminum Portable and durable
- ✓ ideal for jobs on the go



Product Name	Aluminum Telescopic Double Ladder			
Item No	SS-ATD5	SS-ATD6	SS-ATD7	SS-ATD8
Size/m	1.6+1.6	1.9+1.9	2.2+2.2	2.5+2.5
Steps	5*2	6*2	7*2	8*2
Step Distance/cm	30	30	30	30
Opened Length/m	3.15	3.75	4.35	4.95
Closed Length/m	0.82	0.85	0.88	0.91
Top Width/cm	43	43	43	43
Bottom width/cm	46	46	47	47
Net Weight/kg	11.20	12.80	14.60	16.60
Gross Weight/kg	12.15	13.95	15.95	18.10
Package Size/cm	88*48*16	90*48*16	93*48*17	96*48*17

Aluminum Telescopic Double Ladder-400

OEM / ODM accepted

- ✓ Articulating + Telescopic — Dual Function
- ✓ Lightweight Aluminum Portable and durable
- ✓ ideal for jobs on the go



Product Name	Aluminum Telescopic Double Ladder			
Item No	SS-ATD4	SS-ATD5	SS-ATD6	SS-ATD7
Size/m	1.7+1.7	2.1+2.1	2.5+2.5	2.9+2.9
Steps	4*2	5*2	6*2	7*2
Step Distance/cm	40	40	40	40
Opened Length/m	3.21	4.00	4.79	5.57
Closed Length/m	0.92	0.97	1.00	1.05
Top Width/cm	43	43	43	43
Bottom width/cm	44	45	45	45
Net Weight/kg	11.20	12.55	14.35	16.30
Gross Weight/kg	12.10	13.60	15.40	17.35
Package Size/cm	94*47*15	97*47*16	100*47*16	1060*48*16

Aluminum Multi Purpose Ladder

OEM / ODM accepted

- ✔ Telescopic Adjustment & Auto-Lock
- ✔ 4 Independently Adjustable Legs
- ✔ Works on Uneven Ground



Product Name	Aluminum Multi Purpose Ladder				
Item No	SS-AML3	SS-AML4	SS-AML5	SS-AML6	SS-AML7
Size/m	1.04	1.33	1.63	1.92	2.27
Steps	3	4	5	6	7
Vertical Height/m	0.71~1.04	1.02~1.33	1.32~1.63	1.61~1.92	1.94~2.27
Step Distance/cm	28	28	28	28	28
Opened Length/m	1.5~2.2	2.1~2.8	2.7~3.4	3.4~4.0	4.0~4.6
Closed Length/m	0.70	1.02	1.32	1.61	1.94
Top Width/cm	38	38	38	38	38
Bottom Width/cm	71	71	71	71	71
Net Weight/kg	5.90	6.90	8.10	9.20	10.50
Gross Weight/kg	6.80	8.65	9.75	11.25	13.30
Package Size/cm	79*44*19	110*48*19	141*54*19	183*64*20	202*64*20

Aluminum Little Giant Ladder

OEM / ODM accepted

- ✔ A-Frame / Extension / Staircase / Scaffold
- ✔ Tip & Glide Wheels — Easy Transport
- ✔ Works on Uneven Ground



Product Name	Aluminum Little Giant Ladder				
Item No	SS-ALG3	SS-ALG4	SS-ALG5	SS-ALG6	SS-ALG7
Size/m	1.3+1.3	1.9+1.9	2.5+2.5	3.0+3.0	3.5+3.5
Steps	3	4	5	6	7
Vertical Height/m	1.34	1.95	2.50	3.02	3.53
Step Distance/cm	28	28	28	28	28
Opened Length/m	2.91	4.02	5.14	6.24	7.36
Closed Length/m	0.96	1.22	1.52	1.79	2.07
Top Width/cm	48	48	48	48	48
Bottom Width/cm	57	57	57	57	57
Net Weight/kg	8.55	9.95	11.55	13.10	14.65
Gross Weight/kg	10.25	12.05	14.05	16.00	18.10
Package Size/cm	97*21*58	125*21*58	153*21*58	180*21*58	208*21*58

Aluminum Green Little Giant Ladder

OEM / ODM accepted

- ✓ A-Frame / Extension / Staircase / Scaffold
- ✓ Tip & Glide Wheels — Easy Transport
- ✓ Works on Uneven Ground




Product Name	Aluminum Green Little Giant Ladder				
Item No	SS-ALG3	SS-ALG4	SS-ALG5	SS-ALG6	SS-ALG7
Size/m	1.3+1.3	1.9+1.9	2.5+2.5	3.0+3.0	3.5+3.5
Steps	3	4	5	6	7
Vertical Height/m	1.34	1.95	2.50	3.02	3.53
Step Distance/cm	28	28	28	28	28
Opened Length/m	2.91	4.02	5.14	6.24	7.36
Closed Length/m	0.96	1.22	1.52	1.79	2.07
Top Width/cm	48	48	48	48	48
Bottom Width/cm	57	57	57	57	57
Net Weight/kg	8.6	10.6	12.4	14.4	16.3
Gross Weight/kg	10.3	12.7	14.9	17.3	19.75
Package Size/cm	97*21*58	125*21*58	153*21*58	180*21*58	208*21*58

Aluminum Black Little Giant Ladder

OEM / ODM accepted

- ✓ A-Frame / Extension / Staircase / Scaffold
- ✓ Tip & Glide Wheels — Easy Transport
- ✓ Works on Uneven Ground



Product Name	Aluminum Black Little Giant Ladder				
Item No	SS-ALG3	SS-ALG4	SS-ALG5	SS-ALG6	SS-ALG7
Size/m	1.3+1.3	1.9+1.9	2.5+2.5	3.0+3.0	3.5+3.5
Steps	3	4	5	6	7
Vertical Height/m	1.34	1.95	2.50	3.02	3.53
Step Distance/cm	28	28	28	28	28
Opened Length/m	2.91	4.02	5.14	6.24	7.36
Closed Length/m	0.96	1.22	1.52	1.79	2.07
Top Width/cm	48	48	48	48	48
Bottom Width/cm	57	57	57	57	57
Net Weight/kg	9.05	10.85	12.6	14.4	16
Gross Weight/kg	10.75	12.95	15.1	17.3	19.45
Package Size/cm	97*21*58	125*21*58	153*21*58	180*21*58	208*21*58

Aluminum Household Ladder

OEM / ODM accepted

- ✔ Comfortable Hand rail — Added Safety & Support
- ✔ Folding Design — Compact Storage
- ✔ Wide Anti-Slip Step



Product Name	Aluminum Household Ladder						
Item No	SS-AHL3	SS-AHL4	SS-AHL5	SS-AHL6	SS-AHL7	SS-AHL8	SS-AHL9
Size/m	2.4	2.8	3.2	3.7	4.1	4.5	5.0
Steps	3	4	5	6	7	8	9
Vertical Height/m	0.64	0.78	0.93	1.07	1.20	1.35	1.50
Unfolded height/m	1.08	1.28	1.48	1.66	1.86	2.05	2.25
Closed Length/m	1.16	1.37	1.58	1.80	2.00	2.20	2.41
Bottom width/cm	39	41	43.5	47	49.5	51.5	54
Net Weight/kg	2.20	2.65	3.00	3.40	3.85	4.25	4.65
Gross Weight/kg	2.3	2.75	3.1	3.5	4	4.4	4.6
Package Size/kg	116*11.5* (39+35)	137*11.5* (41+35)	158*11.5* (43.5+35)	179.5*11.5* (47+35)	199.5*11.5* (51.5+35)	220.5*11.5* (51.5+35)	241*11.5* (54+35)

Multi Purpose A Frame Ladder

OEM / ODM accepted

- ✔ Classic Design — Built to Last
- ✔ Push Button — Easy Open
- ✔ Lightweight & Strong



Product Name	Multi Purpose A Frame Ladder								
Item No	SS-MFL3	SS-MFL4	SS-MFL5	SS-MFL6	SS-MFL7	SS-MFL8	SS-MFL9	SS-MFL10	
Size/m	1.93	2.53	3.13	3.73	4.33	4.93	5.53	6.13	
Steps	3	4	5	6	7	8	9	10	
Vertical Height/m	0.96	1.25	1.53	1.82	2.10	2.38	2.68	2.95	
Step Distance/cm	30	30	30	30	30	30	30	30	
Opened Length/m	1.93	2.53	3.13	3.73	4.33	4.93	5.53	6.13	
Closed Length/m	1.01	1.31	1.61	1.91	2.21	2.51	2.81	3.11	
Top Width/cm	45	45	45	45	45	45	45	45	
Bottom Width/cm	62	62	62	62	62	62	62	62	
Net Weight/kg	5.40	6.45	7.50	8.60	9.80	10.95	15.75	17.25	
Gross Weight/kg	6.55	7.65	8.80	10.05	11.30	12.55	17.30	18.95	
Package Size/cm	103*64*16	133*64*16	163*64*16	194*64*16	223*64*16	253*64*16	281*64*16	312*64*16	



SS LADDER

SCISSORS SERIES




Exquisite Craftsmanship
The Professional's Choice.



Garden Shears

OEM / ODM accepted

- ✓ Sharp & Durable
- ✓ Comfort Grip
- ✓ High Corrosion Resistance



High-grade steel



Effortless cutting design




Durable handle, comfortable to hold

Product Name	Garden Shears		
Item No	Garden Shears	Garden Shears	Garden Shears107
Size	8	10	/
PCS/CTN	60	60	60
Gross Weight/kg	19	27	22
Net Weight /kg	18	26	21
Package Size/cm	44*28*24	49*34.5*25	44*28.5*26

Tin Snips (German)

OEM / ODM accepted


- ✓ Compound Leverage Mechanism – Effortless Cutting
- ✓ High-Carbon Steel Blades – Hard & Wear-Resistant
- ✓ German-Style Design – Precision Forged



Tin Snips (US)

OEM / ODM accepted

- ✓ High-Carbon Steel Blades – Hard & Wear-Resistant
- ✓ Compound action mechanism – 50% less effort
- ✓ Non-Slip Handle – Comfortable Grip



Product Name	Tin Snips (German)				
Size	8	10	10	12	14
PCS/CTN	60	60	48	48	Bulk
Gross Weight/kg	17	30	24	30	19
Net Weight /kg	16	29	23	29	18
Package Size/cm	44*28*24	46*35*26.5	46*35*26.5	39.5*37*26.5	Bulk

Product Name	Tin Snips (US)		
Size	8	10	12
PCS/CTN	60	48	48
Gross Weight/kg	19	25	33
Net Weight /kg	18	24	32
Package Size/cm	62*29*26.5	50*33*26.5	45*39*37

Aviation Snips (US)

OEM / ODM accepted

- ✓ High-Carbon Steel Blades – Strong & Durable
- ✓ Quick Identification of Cutting Direction
- ✓ Easy cutting through sheet metal




Product Name		Aviation Snips (US)		
Size	PCS/CTN	Gross Weight/kg	Net Weight /kg	Package Size/cm
/	60	23	22	45*23*40.5

Aviation Snips

OEM / ODM accepted

- ✓ High-Carbon Steel Blades – Strong & Durable
- ✓ Quick Identification of Cutting Direction
- ✓ Easy cutting through sheet metal



Product Name		Aviation Snips		
Size	PCS/CTN	Gross Weight/kg	Net Weight /kg	Package Size/cm
/	60	23	22	45*23*40.5

Cable Cutter

OEM / ODM accepted

- ✓ Compact : Up to 20mm diameter (copper/aluminum)
- ✓ Medium : Up to 32mm diameter (copper/aluminum)
- ✓ Heavy-duty : Up to 50mm diameter (copper/aluminum) and steel-reinforced cables



High-grade steel



Effortless cutting design



Durable handle, comfortable to hold

Product Name	Cable Cutter		
Size	6	8	10
PCS/CTN	120	60	60
Gross Weight/kg	21	19	27
Net Weight /kg	20	18	26
Package Size/cm	41*24*35.7	44*28*24	49*34.5*25